



Europäisches Patentamt European Patent Office Office européen des brevets



(11) EP 0 821 415 A3

(12)

EUROPEAN PATENT APPLICATION

- (88) Date of publication A3: 04.02.1998 Bulletin 1998/08
- (51) Int CI.6: H01L 27/115, H01L 21/3205
- (43) Date of publication A2:28.01.1998 Bulletin 1998/05
- (21) Application number: 97305657.5
- (22) Date of filing: 28.07.1997
- (84) Designated Contracting States:

 AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC

 NL PT SE

 Designated Extension States:

 AL LT LV RO SI
- (30) Priority: 26.07.1996 JP 215467/96
- (71) Applicant: TEXAS INSTRUMENTS INC. Dallas, Texas 75243 (US)
- (72) Inventors:Fukuda, YukioNaka-gun, Ibaraki 319-11 (JP)

- Aoki, Katsuhiro Tsuchiura-shi, Ibaraki 300 (JP)
- Numata, Ken Plano, Texas 75093 (US)
- Nishimura, Akitoshi Plano, Texas 75024 (US)
- (74) Representative: Williams, Janloe et al D. Young & Co., 21 New Fetter Lane London EC4A 1DA (GB)

(54) A capacitor and method of manufacture thereof

The purpose of this invention is to provide a ferroelectric capacitor and a ferroelectric memory device, which: can perform stable operation without causing a resistivity change that is considered to be caused due to the leakage current and the oxygen diffusion; in which it is difficult for dielectric fatigue to be caused in the ferroelectric capacitor, even by repeated inversions; and in which long life and high reliability can be maintained; and to provide their manufacturing method. The constitution of this invention includes a ferroelectric capacitor CAP which has Ir lower electrode (13), PZT thin film (14), and ir upper electrode (15) and in which crystal grain layers (14a,14b,and 14c) constituted by assembling crystal grains (50a,50b, and 50c) by means of grain boundaries (51a,51b, and 51c) are laminated by means of grain boundaries (52A and 52B) along the surface of the Ir electrode (13), so that the ferroelectric film (14) is formed. A method for manufacturing the ferroelectric capacitor CAP, which meets all of the important conditions of 1) selection of an optimum electrode substance such as Ir; 2) control of crystal growth direction by means of TiOx nucleus attachment and a surplus of Pb; and 3) optimum annealing temperature for eliminating surface precipitates; and which deposits a titanium oxide, forms a ferroelectric film material layer containing a surplus of lead on it, heats it at a temperature at which the surface precipitates are substantially lost, and laminates each

crystal grain layer (14a,14b, and 14c) by repeating the above processes.




fig. 1. Structure of the P2T this film especitor of this soludiants

Printed by Jouve, 75001 PARIS (FR)

EP 0 821 415 A3



EUROPEAN SEARCH REPORT

Application Number EP 97 30 5657

	DOCUMENTS CONSID	ERED TO BE RELEVANT			
ategory	Citation of document with it of relevant pass	ndication, where appropriate,		evant laim	CLASSIFICATION OF THE APPLICATION (INLCI.6)
K A	US 5 434 742 A (SAI * column 21; figure * column 39; exampl	49; example 8 *	1,2, 3,6,	,4,5 ,8	H01L27/115 H01L21/3205
ĸ	EP 0 705 918 A (TE) * figure 2 *	0 705 918 A (TEXAS INSTRUMENTS INC) figure 2 *		4,5	
K	EP 0 571 949 A (TE) * claims 1-13 *	(AS INSTRUMENTS INC)	1,2,	,4,5	
x .	PATENT ABSTRACTS OF vol. 018, no. 388 (& JP 06 112543 A April 1994, * abstract *	F JAPAN (E-1581), 20 July 1994 (SEIKO EPSON CORP), 22	1,2	,4,5	
A	NAKAMURA T ET AL: PB(ZR,TI)03 THIN FI INCLUDING IRO2" APPLIED PHYSICS LET vol. 65, no. 12, 19 pages 1522-1524, Xi * page 1522 *	(LMS ON ELECTRODES FTERS, D September 1994,	3		TECHNICAL FIELDS SEARCHED (INI.CL6)
A	CUPPENS R ET AL: 'NON-VOLATILE NEMORI MICROELECTRONIC ENG vol. 19, 1992, pages 245-252, XP00 * page 247, paragra	SINEERING. 02026229	7		
		-/			
	The present search report has				
	Price of search BERLIN	Date of completion of the search 4 November 1997	, "	Juh	Examiner 1. A
X : part Y : part door A : tech O : non	ATEGORY OF OITED DOCUMENTS is ularly relevant if taken alons is ularly relevant if torribined with another and the same category mological background with another according to the same category mological background mental and accounts mediata document.	T: theory or princ E: cerier patent after the filing D: document offe L: document cite	riple underly document, i date of in the app d for other r	ring the ir out public plication example	wention shed on, or

EP 0 821 415 A3



EUROPEAN SEARCH REPORT

Application Number EP 97 30 5657

ategory	Citation of document with in of relevant passa		Relevant to olaim	CLASSIFICATION OF THE APPLICATION (INLCI.6)
1	MOAZZAMI R ET AL: "INTEGRATION OF FERROELECTRIC CAPACITOR TECHNOLOGY WITH CHOS" SYMPOSIUM ON VLS1 TECHNOLOGY. DIGEST OF TECHNICAL PAPERS, HONOLULU, JUNE 7 - 9, 1994, no. SYMP. 14, 7 June 1994, INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS, page 55/56 XP000498580 * page 55, paragraph 2 *			5
A	1994	JAPAN C-1275), 17 November TDK CORP), 16 August	10	
A	PATENT ABSTRACTS OF JAPAN vol. 018, no. 171 (E-1529), 23 March 1994 & JP 05 343642 A (SEIKO EPSON CORP), 24 December 1993, * abstract *			TECHNICAL FIELDS BEARCHED (Int.Cl.6)
4	JIA Q X ET AL: "LO BATIO3 THIN FILM CA MULTILAYER CONSTRUC THIN SOLID FILMS, vol. 259, no. 2, 15 pages 264-269, XP66 "figure 8 *	PACITORS USING A	1,5	
	The present search report has			
	Place of search BERLIN	Data of complication of the sear 4 November 19	4	Juhl, A
X:par Y:par doo A:tec	caTEGORY OF CITED DOCUMENTS rticularly relevant if taken alone ticularly relevant if combined with anot lument of the same category horiogical background n-writien disolasure armediate bocument	E : earlier pate after the life ther D : document o L : document o	ited in the applicat ted for other reces	ublished on, or ion